




# HANGING SCALES MISTRAL SERIES (500 RANGE)

Hanging format price computing scales, with receipt or label printer and PC connection. High performance, easy to use and contemporary design scales.




# INFORMATION



The Dibal Mistral Series hanging scales are ideal for installation in fishmongers, butchers or counters with little space. These retail scales are easy to use and offer excellent features due to their memory and their fast and reliable communications among scales, PC and mobile devices.

Mistral Series electronic scales, available in stainless steel or ABS plastic housing, can have a receipt printer or a label printer.



## Data in mm

|   |                 |
|---|-----------------|
| A | 405 / 405 / 405 |
| B | 126 / 186 / 186 |

---

|          |                 |
|----------|-----------------|
| <b>C</b> | 285 / 285 / 285 |
|----------|-----------------|

---

|          |                 |
|----------|-----------------|
| <b>D</b> | 415 / 415 / 415 |
|----------|-----------------|

Plate diameter: 310 mm

## MAIN CHARACTERISTICS

- **Electronic scale with higher visibility display options.**
- **Models with receipt printer or label printer (suitable for receipts).**
- **Variety of formats.**
- **Functional and robust design.**
- **Compliance with EU Regulation 1169/2011 on the provision of food information to consumers (only for M-525).**

## FEATURES

- **Extensive information for each PLU: normal price, price for weight scales and by kg/100 g (in M-520, M-520 B and M-525), 2 names of 20 characters (1 in M-510, M-510 B and M-515), 10 free texts of 24 characters (5 in M-510, M-510 B and M-515), 1 text of 3,000 characters (in M-525), etc.**
- **PLU search by code or name.**
- **Preset keys to programming menus: to change prices, register PLUs or vendors, etc.**
- **Direct access to 999 PLUs from the keyboard.**
- **Drill down menus.**
- **Printing of scale menus.**
- **2 programmable macros (in M-520, M-520 B and M-525): recording of a sequence of keys to create direct access to any task (reopening of receipts, lists, change in batcher number, etc.).**
- **Sales and management reports: sales (by article, vendor, time frames, last month, etc.), modified PLUs, etc.**
- **Fast and reliable communication between scales, with PC and mobile devices (via DWS).**
- **Stocks management on the scale.**
- **Option to record normal price for each article.**
- **Stock / order mode.**

## CAPACITY / ACCURACY

- **Multirange (3,000 divisions): 6 kg / 2 g - 15 kg / 5 g.**
- **Optional:**
  - **Monorange (3,000 divisions): 15 kg / 5 g or 30 kg / 10 g.**
  - **Multirange (3,000 divisions): 15 kg / 5 g - 30 kg / 10 g.**
  - **Monorange (6,000 divisions): 12 kg / 2 g or 30 kg / 5 g.**

## FORMATS

- **Hanging (ABS or stainless steel).**

## CONSTRUCTION

- **Highly resistant ABS plastic or stainless steel casing.**
- **Stainless steel plate.**
- **Access to all non-metrological components without the need to unseal the scale.**

## DISPLAYS

- **Backlit LCD segment display (W150.2 X H43.4 mm) for vendor and buyer (showing weight, price / kg, total, tare, vendor and name of articles).**
- **Optional:**
  - LCD matrix graphic display (W134 x H41 mm) for vendor and buyer, for M-520 and M-525. Possibility of showing: logos, profitability codes, warning messages sent from a PC (on vendor display) and advertising messages with animated effects on buyer display.

## PRINTER

- **Models available with 1 printer for receipts or 1 printer for labels (also suitable for receipts by changing the paper roll and the working mode).**
- **54 mm thermal printer.**
- **High resolution (8 dots/mm).**
- **Speed depending on models:**
  - M-520 and M-525: 100 mm/sec.
  - M-510 and M-515: 80 mm/sec.
- **Cassette for immediate paper roll change** (in label printers).
- **Optional:**
  - Linerless (in M-525).

## RECEIPTS

- **All the models:**
  - 15 fonts (6 monospaced + 9 multispaced: more modern and legible).
  - Up to 40 items.
  - EAN-13 barcode.
  - 9 payment methods.
  - Total in National currency and another 3 different currencies.
  - Discounts per line and total.
- **M-510 and M-515:**
  - 2 fixed formats.
- **M-520 and M-525:**
  - 2 fixed formats + 1 programmable format.
  - 4 logos per receipt.
  - Name of vendor.
  - Customers on account.

## LABELS

- **All the models:**

- 15 fonts (6 monospaced + 9 multispaced: more modern and legible).
- 40 logos.
- EAN-13 barcode.
- 40 fields of information.
- 100 programmable texts.
- Manual and automatic pre-packing modes.
- Automatic adjustment of the paper detection option.

- **M-515:**

- From W30 x L30 mm to W60 x L80 mm.
- 20 fixed formats + 5 programmable formats.
- 1 type of generic traceability (for meat, fish, fruits, vegetables, etc.) up to 10 products. Included in the prevailing European legislation on bovine traceability.

- **M-525:**

- From W30 x L30 mm to W60 x L100 mm.
- 20 fixed formats + 10 programmable formats.
- 3 levels of totals.
- Printing of “n” identical labels.
- Printing with 90°, 180° and 270° rotation.
- Packaging date, expiry date and extra date (for any application).
- Alphanumeric batch number.
- 2 types of generic traceability (for meat, fish, fruits, vegetables, etc.) up to 20 products. Included in the prevailing European legislation on bovine traceability.

## FOOD INFORMATION

- **M-510, M-510 B and M-515:**

- Minimum letter size: 1.2 mm.
- For direct sale receipts and labels: possibility of indicating in the PLU name (with an \* or other symbol) those that contain allergens and programming a text, such as “\* Consult allergens”.
- Labels do not comply with the labelling packed food Regulation (only 5 texts of 24 characters are available).

- **M-520 y M-525:**

- Minimum letter size: 1.2 mm.
- Effect (**bold**, underlined, or **both**) for each character in the text.
- Possibility of using the general text “G” (3,000 characters) for ingredients, in lower case or UPPER CASE to highlight allergens.
- Free texts (10 x 24 characters).
- For direct sale receipts and labels: possibility of indicating in the PLU name (with an \* or other symbol) those that contain allergens and programming a text, such as “\* Consult allergens”.
- Possibility of printing 2 labels for each operation: programmable by PLU, configurable

information, 2nd automatic or manual label (also to be used as promotional labels).

- **M-525 model complies with EU Regulation 1169/2011 on the provision of food information to consumers as of 13 December 2016.**

## COMMUNICATIONS

- **TCP/IP Ethernet for interconnection and connection to PC.**
- **RS-232, for connection to scanner (in M-520 and M-525).**
- **Optional:**
  - Wi-Fi.

## SECURITY

- **Access to different protected programming menus via configurable passwords.**

## INTERCONNECTION

- **M-510 and M-515:** up to 5 scales per section.
- **M-520 and M-525:** up to 10 scales per section.

## CONNECTIVITY WITH OTHER DEVICES

- **PC.**
- **Bar code scanner** (powered by the scale – 5 VDC) to read EAN-13 bard codes (in M-520 and M-525).
- **Queueing system.**

## SOFTWARE (SEE SECTION ON SOFTWARE)

### PC software:

- **DFS:**
  - Programming of scales.
  - Receipt of sales data.
  - Data backup copy.
  - Graphic design of receipts and labels.
  - Design and management of advertising images for graphic display.
- **RMS\*:**
  - Programming and management of scales.
  - \* Does not manage:
    - Images (of articles and advertising).
    - Specific functions of Mistral scales.
- **DLD:**
  - Graphic design of receipts and labels.
- **Integration tools: in Windows or Linux to facilitate communication with the Back-Office.**

## Scale firmware:

- **DWS (Dibal Web Server):**
  - Allows access to the information on each scale (via passwords) from any computer or mobile device with an Internet browser.

## POWER SUPPLY

- **Mains: 110 up to 230 VDC.**
- **Depending on the models, also:**
  - Optional: Anti-blackout rechargeable internal battery 24 V and connector to external battery 24 V.

# MODELS

---

---

## M-510 H ABS

Ref.: 7M101C2SGE\_\_

- **Displays:** LCD segment.
- **Printer:** Receipts.
- **PLUs:** 2,000.
- **Direct PLUs:** 45x2 +4x2\*.
- **Vendors:** 5.
- **Power:** Mains.
- **Capacity / Accuracy:** 6 kg / 2 g - 15 kg / 5 g.

\* Using the Shift key and those of Vendor.

---

## M-520 H ABS

Ref.: 7M201C2SGE\_\_

- **Displays:** LCD segment.
- **Printer:** Receipts.
- **PLUs:** 5,000.
- **Direct PLUs:** 70x2 +9x2\*.
- **Vendors:** 10.
- **Power:** Mains.
- **Capacity / Accuracy:** 6 kg / 2 g - 15 kg / 5 g.

\* Using Shift key and those of Vendor.

---

## M-510 H S. STEEL

Ref.: 7M101C2SIE\_\_

- **Displays:** LCD segment.
- **Printer:** Receipts.
- **PLUs:** 2,000.
- **Direct PLUs:** 45x2 + 4x2\*.
- **Vendors:** 5.
- **Power:** Mains.
- **Capacity / Accuracy:** 6kg / 2 g - 15 kg / 5 g.

\* Using the Shift key and those of Vendor.

---

## M-520 H S. STEEL

Ref.: 7M201C2SIE\_\_

- **Displays:** LCD segment.
- **Printer:** Receipts.
- **PLUs:** 5,000.
- **Direct PLUs:** 70x2 + 9x2\*.
- **Vendors:** 10.
- **Power:** Mains.
- **Capacity / Accuracy:** 6 kg / 2 g - 15 kg / 5 g.

\* Using the Shift key and those of Vendor.

---

## M-515 H ABS

Ref.: 7M151C2SGE\_\_

- **Displays:** LCD segment.
- **Printer:** Labels (or Receipts).
- **PLUs:** 2,000.
- **Direct PLUs:** 45x2 + 4x2\*.
- **Vendors:** 5.
- **Power:** Mains.
- **Capacity / Accuracy:** 6 kg / 2 g - 15 kg / 5 g.

\* Using the Shift key and those of Vendor.



---

## M-525 H ABS

Ref.: 7M251C2SGE\_\_

- **Displays:** LCD segment.
- **Printer:** Labels (or Receipts).
- **PLUs:** 5,000.
- **Direct PLUs:** 70x2 + 9x2\*.
- **Vendors:** 10.
- **Power:** Mains.
- **Capacity / Accuracy:** 6 kg / 2 g - 15 kg / 5 g.

\* Using Shift key and those of Vendor.

---

## M-515 H S. STEEL

Ref.: 7M151C2SIE\_\_

- **Displays:** LCD segment.
- **Printer:** Labels (or Receipts).
- **PLUs:** 2,000.
- **Direct PLUs:** 45x2 + 4x2\*.
- **Vendors:** 5.
- **Power:** Mains.
- **Capacity / Accuracy:** 6 kg / 2 g - 15 kg / 5 g.

\* Using the Shift key and those of Vendor.

---

## M-525 H S. STEEL

Ref.: 7M251C2SIE\_\_

- **Displays:** LCD segment.
- **Printer:** Labels (or Receipts).
- **PLUs:** 5,000.
- **Direct PLUs:** 70x2 + 9x2\*.
- **Vendors:** 10.
- **Power:** Mains.
- **Capacity / Accuracy:** 6 kg / 2 g - 15 kg / 5 g.

\* Using the Shift key and those of Vendor.

## OPTIONS

---

| OPTION                                     | CHARACTERISTICS   | REF.   |
|--|---|--|
| <b>Capacity 15 kg / 5 g - 30 kg / 10 g</b> | Multirange (3,000 divisions).   | ...F __ (*)  |
| <b>Capacity 15 kg / 5 g</b>                | Monorange (3,000 divisions).  | ...N __ (*)  |
| <b>Capacity 30 kg / 10 g</b>               | Monorange (3,000 divisions).  | ...Y __ (*)  |
| <b>Capacity 12 kg / 2 g</b>                | Monorange (6,000 divisions).  | ...V __ (*)  |
| <b>Capacity 30 kg / 5 g</b>                | Monorange (6,000 divisions).  | ...P __ (*)  |
| <b>Graphic display (W134 x H41 mm)</b>     | LCD matrix graphic display for buyer and vendor.  | Contact us   |
| <b>Linerless</b>                           | Label or receipt on continuous adhesive paper without supporting paper (in label printer for M-525).  | Contact us   |
| <b>Wi-Fi</b>                               | Wireless communications (IEEE 802.11n).   | Contact us   |
| <b>Anti-blackout</b>                       | Anti-blackout internal battery 24V + external battery connector 24V.  | Contact us   |
| <b>DFS Software</b>                        | Scale configuration, receipt of sales data for processing with other IT applications, data backup (LBS), and labels and receipts graphic design. (See section on software). | 7340F1U1 /<br>7340FNUI1 /<br>7340D1U1 /<br>7340DNUI1 |
| <b>RMS Software</b>                        | Scale configuration, receipt of sales data for processing with other IT applications and data backup (LBS). (See section on software).                                      | 73400000 /<br>7340R1U1 /<br>7340RNUI1                |
| <b>DLD Software</b>                        | Labels and receipts graphic design. (See section on software).  | 7340LOU1 /<br>7340L1U1 /<br>7340LNUI1                |
| <b>Technical DWS</b>                       | Dibal Web Server software for the remote configuration of the scale. (See section on software).   | 7340W101   |

| OPTION                               | CHARACTERISTICS  | REF.       |
|--------------------------------------|--|------------|
| <b>Full DWS</b>                      | Dibal Web Server software for the remote configuration of the scale and processing of the information generated.<br>(See section on software).           | 7340WN01   |
| <b>Metrological verification (M)</b> | According to EU weighing directives.<br>(See section on equipment metrological verification).  | Contact us |
| <b>(*)</b>                           | The scale references with this capacity are obtained by replacing the last characters of the reference for the standard scale with the indicated ending. |            |

## ACCESSORIES



### **SMALL ITALIAN PLATE**

L357 x W235 x H55 mm.



### **LARGE ITALIAN PLATE**

L407 x W284 x H60 mm.



### **FLAT PLATE**

L360 x W280 mm, instead of the semi deep plate.



### **DEEP PLATE**

Ø310 x H70 mm, instead of the semi deep plate.



### **BAR CODE SCANNER**

Includes connection cable to the scale (for models M-520 and M-525).



### **ADAPTER FOR RECEIPT PRINTING IN LABEL PRINTERS**

Required for standard size receipt rolls.



Astintze, 26  
48160 Derio (Vizcaya) Spain  
**T.** (+34) 94 452 15 10  
**E.** [dibal@dibal.com](mailto:dibal@dibal.com)